

REQUESTS FOR ACCOMMODATIONS OF A DISABILITY MUST BE ADDRESSED TO THE COLLEGE'S 504/ADA COMPLIANCE OFFICER: THE ASSOCIATE DEAN OF THE COLLEGE/EOAA OFFICER, DUNS SCOTUS HALL 102, (716) 839-8301.



HEALTH SERVICES

Student Health Form

<p>Health Services Use Only:</p> <p>Received _____</p> <p>Compliant: ___ Yes ___ No</p>
--

DAEMEN COLLEGE UPHOLDS THE NEW YORK STATE LAW WHICH REQUIRES THAT EACH STUDENT FILE WITH THE CAMPUS A RECORD OF A MEDICAL EXAMINATION AND HEALTH HISTORY PRIOR TO ATTENDANCE. Please complete the medical history before going to your health care provider for the examination.

Any physical examination performed in the last year is acceptable, as are records from a previous university/college health service. An official written request for transfer of the records must be sent by the student to the record holder with permission for the medical release of the records to Daemen College.

Information you provide will be used solely as an aid to providing health care, if necessary, while you are enrolled as a student.

This information is confidential. It is strictly for Health Services use and will not be released to anyone without your knowledge and consent.

Full clearance for course registration cannot be granted until all pre-entrance medical requirements have been met. These include:

1. Documentation of immunizations.

NEW YORK STATE LAW REQUIRES THAT ALL PERSONS ACCEPTED FOR ADMISSION TO COLLEGE MUST PROVIDE PROOF OF IMMUNITY TO MEASLES, MUMPS, AND RUBELLA IF BORN ON OR AFTER JANUARY 1, 1957.

STUDENTS MUST BE COMPLIANT WITH N.Y.S. LAW IN ORDER TO GUARANTEE REGISTRATION.

MEASLES (rubeola)	2 doses of live measles vaccine given after 12 months of age and after 1968 or a positive measles titer (copy of lab report must be submitted). or date of physician-diagnosed measles disease with signature of diagnosing physician.
MUMPS	1 dose of mumps vaccine given after 12 months of age and after 1969 or a positive mumps titer (copy of lab report must be submitted). or date of physician-diagnosed mumps disease with signature of diagnosing physician.
RUBELLA	1 dose of rubella vaccine given after 12 months of age and after 1969 or a positive rubella titer (copy of lab report must be submitted); physician diagnosis is not acceptable.

2. Medical history.
3. Tuberculin test (PPD) (within one year).
4. Administration of tetanus or tetanus/diphtheria (Td) toxoid within the past ten years.
5. Physical examination.
6. Informed decision regarding meningitis vaccine (see fact sheet).

PART I – STUDENT HEALTH HISTORY

COMPLETE THIS BEFORE GOING TO YOUR HEALTH CARE PROVIDER FOR EXAMINATION

NAME _____
(PRINT) Last First Middle

DATE OF BIRTH _____ SOCIAL SECURITY NUMBER _____

SEX: MALE FEMALE FIRST TIME TO ENROLL: SUMMER 20 ____ FALL 20 ____ SPRING 20 ____
 FRESHMAN TRANSFER GRADUATE STUDENT

HOME ADDRESS _____
Number and Street City or Town State Zip Code

Home Telephone Number with Area Code

PERSON TO BE NOTIFIED IN EMERGENCY _____
Name and Relationship

Home Telephone with Area Code Business Telephone with Area Code

HEALTH CARE PROVIDER _____
Name Telephone Number with Area Code

ADDRESS _____
Number, Street, City, State, and Zip

HEALTH INSURANCE INFORMATION

Do you have health insurance? Yes No If Yes.

 Name of carrier _____
Policy Number _____

All full-time students are required to be enrolled in a satisfactory health insurance plan. Students who do not indicate on a waiver form provided by the Student Accounts Office that they are covered by a private plan of their own (or their parents) will be enrolled in the Daemen College plan and the applicable premium will be added to the student bill (see back of student bill when you receive it).

ALLERGIES

Are you allergic to any medications? Yes No If yes, list medications _____

MEDICATIONS

Do you take any medicine on a regular basis? Yes No

List medication and dosage _____

Do you have any health conditions that will assist us in the event you need medical care? _____

Do you have any family history we should be aware of? _____

PERMISSION FOR TREATMENT FOR STUDENTS UNDER 18 YEARS OF AGE

When serious medical problems arise, every effort will be made to reach parents, guardians, or spouse. On occasion, we are unable to make this contact. To avoid delay in treatment, we request that the following statement be signed by a parent, guardian, or spouse:

I hereby grant permission to treat and/or hospitalize my son/daughter/spouse/ward in case of illness.

Signature of Parent or Guardian or Spouse Date

Relationship

FAST FACTS ABOUT MENINGOCOCCAL DISEASE AND VACCINATION

Q. What is meningococcal disease and why is it so dangerous?

A. Meningococcal disease is a bacterial infection. It can cause *meningitis* – severe swelling of the brain and spinal cord. It can also lead to *sepsis* – a potentially life-threatening infection of the blood.

Meningococcal disease is very dangerous because it often begins with symptoms that can be mistaken for influenza or another respiratory infection. But unlike more common infections, meningococcal disease can get worse very rapidly and it can kill an otherwise healthy young adult in a little as 24 to 48 hours. In fact, 10%, and in some cases as many as 23%, of those who develop meningococcal disease may die. Of those who survive, 11% to 19% will suffer from permanent disabilities, including amputations, scarring, hearing loss, and brain damage.

Q. How is meningococcal disease spread?

A. The bacteria that causes meningococcal disease (*Neisseria meningitidis*) can be spread from person to person by droplets that are released in the air through coughing. It can also be spread by kissing or sharing a glass or eating utensils.

Q. Who is at risk for meningococcal disease?

A. Although anyone can get the meningococcal disease, the risk for getting this disease is higher for college students living on campus. According to the Centers for Disease Control and Prevention (CDC), college freshmen living in dormitories have a 6-times greater chance of getting meningococcal disease compared with other college students. Students who smoke, drink, or spend time in crowded bars on or near campus are also at higher risk.

Q. What are the symptoms of meningococcal disease?

A. The early symptoms of meningococcal disease are similar to influenza. Many people complain of having a headache, fever, stiff neck, extreme fatigue, nausea, vomiting, and sensitivity to light. Some people also develop a purplish black-red rash of small dots (petechiae), mainly on their arms and legs. Remember, meningococcal disease can get worse very quickly, so recognizing the characteristic signs and symptoms of the disease is critical and potentially lifesaving.

Q. Will vaccination eliminate the risk of meningococcal disease?

A. Meningococcal vaccination can greatly reduce your risk of infection, but it will not completely eliminate it. The vaccine helps to protect against the strains of bacterial (*M meningitidis* A, C, Y, and W-135) that cause 68% to 83% of meningococcal disease in college-aged people. In the US military, meningococcal vaccination has been mandatory since the 1970s, and it has been associated with a 94% reduction in meningococcal disease among new recruits. Be aware, however, that the meningococcal vaccine does not protect against infection caused by strains other than A,C,Y, and W-135, and that no vaccine is guaranteed to protect 100% of susceptible individuals.

Q. Can I get meningococcal disease from the vaccine?

A. No. The vaccine does not contain any live bacteria – so it is impossible to get meningococcal disease from the vaccination. Additionally, the meningococcal vaccine is very well tolerated. The most common reactions after vaccination are mild ones, such as soreness or redness at the injection site for 1 or 2 days. A very small number of people may also experience headache, body aches, chills, and fever.

Vaccination should be avoided by persons with known hypersensitivity to any component of the vaccine. As with most vaccines, immunization should be delayed if you have any acute illness.

Q. Who should be vaccinated against meningococcal disease?

A. College students, particularly freshmen living in dormitories, should consider vaccination to reduce their risk of getting meningococcal disease. This recommendation is supported by the Advisory Committee on Immunization Practices (ACIP), the American College Health Association (ACHA) and the American Academy of Pediatrics (AAP).

In addition, 14 states have enacted legislation mandating distribution of information to students and their parents about the dangers of meningococcal disease and the availability of the meningococcal vaccine. In 6 of these states, vaccination is *required* for incoming students who are planning to live on campus, unless they sign a waiver stating that they are aware of the risk and do not wish to be vaccinated.