DAEMEN COLLEGE IMMUNIZATION FORM



WHEN COMPLETED PLEASE CHOOSE ONE OF THE FOLLOWING OPTIONS TO SUBMIT: FAX: 716.839.8230 | MAIL: Health Services – MB #104 4380 Main Street Amherst, NY 14226-3592

PART 1 - STUDENT INFORMATION

Provider Name (print or stamp)

PART 1 – STUDENT IN	FORMATION			пм п	F □ Other		
LAST NAME	FIRST NAME	MIDDLE INI	TIAL	GENDER	1 2 011101	•	DATE OF BIRTH
□ Undergraduate	□ Graduate	□ Transfer □ Re	e-Admit	□ SU 20	□ FA 20	□ SP 20	□ Yes □ No
ACADEMIC LEVEL OF ENTRY (CHECK ALL THAT APPLY)				SEMESTER OF ENTRY (INCLUDE YEAR) STUDEN			STUDENT-ATHLETE
PREFERRED PHONE (I	NCLUDE AREA C	ODE)	STREET ADDRESS	С	ITY	STATE	ZIP CODE
care provider or go and Rubella. Person requirements. If you	completed and vernment agend s born prior to 1/ are exempt, you ease and vacce rnal learning exp	I signed or stamped by. <u>NYS PUBLIC HEA</u> I 157 are exempt fro I must provide proo Ination to all stude	LTH LAW 2165 requirement fof age. NYS PUBLents. **Recommen	uires college unless requir IC HEALTH LA	students to sho red by their acc <u>NW 2167</u> require	ow proof of ima ademic major t s colleges to d	om previous school, health munity to Measles. Mumps o meet clinical placement istribute information about ent athletes and students
Option 1:2 MMR Vo	accinations (1st c	lose after 1st birthd	ay; *2nd dose at le	east 28 days l	later; month, d	ay, year must l	pe recorded)
MMR 1: /	/	*MMR 2:	//				
Option 2: List Individ	ual Vaccination	Dates (1st dose aft	er 1st birthday; *2r	nd dose at le	ast 28 days late	er)	
Measles 1: / _	/	Measles	2*: /	/			
Mumps: / _	/	Rubella:	//_				
Option 3: List Titer Do	ates and Attach	Lab Report (test do	ate, result, clinical i	ndications)			
Positive Measles Tite	er: /	/					
Positive Mumps Titer	:/	/					
Positive Rubella Titel	::/	/					
MENINGITIS							
Option #1: Submit c	ompleted Meni	ngococcal immuniz	zation series within	the past 5 ye	ears (month, do	ıy, year must b	pe recorded)
MCV4/Menactra (m	nost recent):	//					
Bexero (2 doses req	uired):	//	/	/	_		
Trumemba (3 doses	required):	///////	/	/	/	/	
Option #2: Review t	he Meningitis Fa	ct Sheet (back) and	d complete the w	aiver form be	elow		
						e immunizatio	ssociated with the disease, n against meningococcal
Student Signature		Parent/Guardian	Signature (if stude	nt is under 18	3 years of age	_	/ /
Student Athletes: red	quired to submit	proof of a physical	within 6 months, st	ating the stu	dent is cleared	to participate	nd Pertussis, Flu Shot. in physical activity. hts when that time comes).

Provider Address & Phone Number

Date

Provider Signature

Meningococcal Disease Fact Sheet

What is meningococcal disease?

Meningococcal disease is caused by bacteria called Neisseria meningitidis. It can lead to serious blood infections. When the linings of the brain and spinal cord become inflamed, it is called meningitis. The disease strikes quickly and can have serious complications, including death.

Anyone can get meningococcal disease. Some people are at higher risk. This disease occurs more often in people who are:

- Teenagers or young adults
- Infants younger than one year of age
- Living in crowded settings, such as college dormitories or military barracks
- Traveling to areas outside of the United States, such as the "meningitis belt" in Africa
- Living with a damaged spleen or no spleen
- Being treated with Soliris® or, who have complement component deficiency (an inherited immune disorder)
 - Exposed during an outbreak
- Working with meningococcal bacteria in a laboratory

What are the symptoms?

Symptoms appear suddenly – usually 3 to 4 days after a person is infected. It can take up to 10 days to develop symptoms. Symptoms may include:

- A sudden high fever
- Headache
- Stiff neck (meningitis)
- Nausea and vomiting
- Red-purple skin rash
- Weakness and feeling very ill
- Eyes sensitive to light

How is meningococcal disease spread?

It spreads from person-to-person by coughing or coming into close or lengthy contact with someone who is sick or who carries the bacteria. Contact includes kissing, sharing drinks, or living together. Up to one in 10 people carry meningococcal bacteria in their nose or throat without getting sick.

Is there treatment?

Early diagnosis of meningococcal disease is very important. If it is caught early, meningococcal disease can be treated with antibiotics. But, sometimes the infection has caused too much damage for antibiotics to prevent death or serious long-term problems. Most people need to be cared for in a hospital due to serious, life-threatening infections.

What are the complications?

Ten to 15 percent of those who get meningococcal disease die. Among survivors, as many as one in five will have permanent disabilities. Complications include:

- Hearing loss
- Brain damage
- Kidney damage
- Limb amputations

What should I do if I or someone I love is exposed?

If you are in close contact with a person with meningococcal disease, talk with your health care provider about the risk to you and your family. They can prescribe an antibiotic to prevent the disease.

What is the best way to prevent meningococcal disease?

The single best way to prevent this disease is to be vaccinated. Vaccines are available for people 6 weeks of age and older.

Various vaccines offer protection against the five major strains of bacteria that cause meningococcal disease:

- All teenagers should receive two doses of vaccine against strains A, C, W and Y. The first dose is given at 11 to 12 years of age, and the second dose (booster) at age 16.
- It is very important that teens receive the booster dose at age 16 in order to protect them through the years when they are at greatest risk of meningococcal disease.
- Talk to your health care provider today if your teen has not received two doses of vaccine against meningococcal strains A, C, W and Y.
- Teens and young adults can also be vaccinated against the "B" strain. Talk to your health care provider about whether they recommend vaccine against the "B" strain.

Others who should receive the vaccine include:

- Infants, children and adults with certain medical conditions
- People exposed during an outbreak
- Travelers to the "meningitis belt" of sub-Saharan Africa
- Military recruits

Please speak with your health care provider if you may be at increased risk.

What are the meningococcal vaccine requirements for school attendance?

As of September 1, 2016, children entering grades 7 and 12 must be immunized against meningococcal disease strains A, C, W and Y according to the recommendations listed above.

Is there an increased risk for meningococcal disease if I travel?

- Meningococcal disease and outbreaks occur in the United States and around the world. The disease is more common in the "meningitis belt" of sub-Saharan Africa. The risk is highest in people who visit these countries and who have prolonged contact with local populations during an epidemic.
- To reduce your risk of illness, wash your hands often, maintain healthy habits such as getting plenty of rest and try not to come into contact with people who are sick.

Learn more about meningococcal disease:

www.cdc.gov/meningococcal/

For more information about vaccine-preventable diseases: www.health.ny.gov/prevention/immunization/

